

# PD DECALS

1/48 SCALE

SPAD XIII (part 1)

48 - 008

## IMPORTANT : PLEASE READ THE DIRECTIONS FIRST

## **DIRECTIONS**

Study the subject you wish to model closely, and be sure you have properly identified the decals you will require. Please note that this sheet covers both Bleriot and Kellner built aircraft, which were finished in subtly different camouflage schemes.

Tweezers and a clean paint brush can be useful tools when applying decals. Decal setting solutions may also be used with this product, but their manufacturers directions must also be observed. Better results can be achieved by applying decals to a clean gloss surface.

It is recommended that these decals be applied one at a time. Cut out the decal you wish to apply, dip into water, and put aside. When the decal slides freely on its backing paper, it is ready for application. The decal should be slid directly onto the model; wetting the area receiving the decal with water or setting solution will assist final positioning of the decal.

## KITS

Dragon - SPAD XIII


## REFERENCES


- 1) "SPAD 13.C1 Windsock DataFile 32", by J M Bruce, Albatros Publications, Hertfordshire, England, 1992
- 2) "Windsock International", Vol.6, No.4, July/Aug 1990, Albatros Publications, Hertfordshire,
- 3) "Windsock International", Vol.6, No.5, Sept/Oct 1990, Albatros Publications, Hertfordshire,
- 4) "SPAD FIGHTERS In Action", by J C Connors, Squadron Signal Publications, Texas, 1989
- 5) "AEROPLANE MONTHLY", Vol.19, No.8, August 1991, IPC Magazines Ltd, London
- 6) "Project Butterfly The standard French Camouflage System of 1918", by A D Toelle, H D Hastings and B F Hardesty, parts 2 and 3, published in "Cross and Cockade Journal", Vol 13, No 2, Summer, 1972 and Vol 13, No 4, Winter, 1972


The above references are referred to in the instructions by their number.

NOTE: Americal Gryphon produces decal sheets with USAS and French roundels which may be useful with these decals.

The kind assistance of Mr. R. Guest is gratefully appreciated.








# 1) SPAD XIII, S15155, 2nd Lt Frank Luke, 27th Aero Sqn, 1918


upper right side of the fin and rudder. The Black/White check decal for the wings will not rudder (Red forward) before applying rudder decal. Note a small "XIII" is carried on the emblem faces forward on both sides. Red/White/Blue stripes should be applied to the metal. Struts are a dark colour, either Brown or Dark Green, with the undercarriage and untimely demise when he was mortally wounded on 29 September and bled to death next to a stream behind enemy lines. The actual markings of his aircraft have proved elusive - those specialist, he claimed 18 victories, 14 of these balloons, and all during September 1918. He trailing edges can be removed by CAREFUL use of a very light grade wettable sanding exactly fit the trailing edge; when it has dried completely, excess decal over the scalloped inner part over the top. The lower wing "26" is Black (the thicker Black "26"). The eagle the fuselage and upper wings. The White should be applied first, then the thinner Black finished in Blue/White at a later time. The number "26" has been provided in two parts for wheel discs in the undersurface colour, probably Pale Yellow. The wheels may have been cowling ring was Blue, and the side cowling panels were a light colour, probably natural claimed 3 balloons on the 15th, and 2 balloons and 3 aircraft on the 18th. He ultimately met an References: No 1 inside/outside front cover paper. Note roundels on upper wings are same size as lower wings This was a Bleriot built machine, and was camouflaged according to their pattern. The presented here are based on the cover illustration and photo shown in Reference no.1. The exploits of Frank Luke have acquired a legendary status. Renowned as a balloon "busting"





# an instructor with one victory to his credit, having shot a Fokker off the tail of 1st Lt Gorman 2) SPAD XIII, S4377, 1st Lt Charles Dolan, 103rd "Lafayette" Aero Sqn, 1918 Escadrille. This scheme represents the restored aircraft of the Memorial Flight Association at Larner on October 12. He was destined to be the last surviving member of the Lafayette it became the 103rd Aero Squadron in February 1918. He returned to the USA in June 1918 as Charles Dolan joined the Lafayette Escadrille in May 1917 and was still with the Escadrille when


ring is Red and White, with Red forward. The personal emblem was an "H" in a divided carried on the wings of this aircraft. rudder (Blue forward) before applying the rudder decal. French national markings are Indian head faces forward on both sides. Blue/White/Red stripes should be applied to the have been provided than will be required, and they should be cut off one at a time. correspond with each other for upper/lower surface of each wing. Note that more patches they differ on each side of the fuselage. On the upper and lower wings the patches wings, a white square with an "Iron Cross". Patch positions should be carefully noted, as the undersurface colour of Light Grey. The aircraft has repair patches on the fuselage and the upper wing. Struts are natural wood. The undercarriage and wheel discs are finished in circle; the Red half of the "H" is forward on both sides of the fuselage, A Kellner built machine, it has been camouflaged according to their pattern. The cowling Meudon in France, which was finished in the colours of Charles Dolan. and to the right on

References: No. 3 cover, p. 19; No. 5 pp. 456, 457 and 476









Gorman Larner joined the 103rd Aero Squadron in June, 1918, having served with Spa. 86 since November 1917. He finished the war with the 103rd, and seven victories to his credit. He went on to serve with President Wilsons staff in Paris, before serving as Air Attache at the US Embassy in London in 1940. He retired from the USAF with the rank of Colonel. rudder decal. Note roundels on upper wings are same size as lower wings. Blue/White/Red stripes (Blue forward) should be applied to the rudder before applying lower wing "13" is Black only. The Indian head faces forward on both sides. "13" should be applied first, then the Yellow, then the Black "shadow" number "13" has been provided in three parts for the fuselage and upper wings. undercarriage and wheel discs are painted in the undersurface colour of Pale Yellow. The aircraft has been illustrated with a White cowling ring, but photographic evidence suggests This was a Bleriot built machine, and was camouflaged according to their pattern. This 3) SPAD XIII, S2742, 1st Lt Gorman Larner, 103rd "Lafayette" Aero Sqn 1918 References : No. 2 pp. 23-27 ; No. 4 p. 46 Blue may be more likely. Struts are a dark colour, either Brown or Dark Green. The over the top. The The White

