# IN T-72B3 MAIN BATTLE TANK 2017 MOSCOW VICTORY DAY PARADE





#### ITEM NO: UA72102

L9,530/6,860 x W3,460 xH2, 226 x 470 clearance

840 hp V-84-1 diesel1 kW

1.2 m on the move/5 m with

125mm 2A46M smoothbore

45 rounds (22 in carousel)

AB-1 aux.unit (T-72BK)

44.5 metric tons

60 km/h

45 km/h

500 km

2.8 m

08m

30°

Weapons

Obstacle negotiation

18.9 hp/tn

0.9 kg/sg.cm

OPVT (snorkel)

2E42-2 Zhasmin

APFSDS, HEAT, HEF

6-8 rounds/min

Accepted in 1985 and mass-produced since 1988, the T-72B(M) MBT (Ob.187) has protection level comparative to that of the contemporary T-80U, but has a noticably poorer FCS and vision aids and is anderpowered. It is the last model of the (in)famous T-72 line, because the T-72BU MBT, successor to T-72B(M), received a new designation, T-90. However, T-72B(M) tanks and older T-72s upgraded to T-72b(M) standard are the most numerous tanks fielded with the Russian military. With the current financial problems, it will likely remain in widespread use well into the 21st century.

In addition to the basic model, there exists the T 72BK command variant that has been fielded since 1987 The wiriant offers in radio and navigational equipment, as well as the passance of an auxiliary power unit.

#### **•READ BEFORE ASSEMBLY**

- 1. When you use glue or paint, do not no ar "armo, and se in a vell-ventiated room.
- 2. Take extra care in handling phote et th parts in order to avoid injury
- 3. When you take parts off the runner frame, we made ing scissors and trim excess plastic with a c. tter or a file.
- 4. Glue and paint are not included.
- 5. This product is only suitable weak erienced more than 14 years old.

	CHIDEDON HE
	SUPERIOLUE
	70.4.04
_	第71股

OPTION















### ●装配之前仔细阅读:

- 1. 勿於近火处使用胶水或油漆, 并 打开窗户保持空气流通。
- 2. 取蚀刻片时应特别注意安全, 防止利边划伤手指。
- 3. 从胶架中取出部件时,应用模型专用剪,并用界刀或小锉除去多余的
- 4. 请使用塑料胶水和油漆,模型内不含。

**Dimensions** 

Wigh.

Crew

Engine

Max Rrad Speed

Ma. X-country Speed

Cower/Weight

Ground Pressure

Range

Fording depth

Trench width

Vertical obstacle

Maximum gradient

Main Weapon

Stabilization Rate of fire

Ammunition

**Ammunition Types** 

5. 本产品不适合14岁以下没有经验的模型爱好者。

CUT/REMOVE









#### **DECAL APPLICATION**


- 1.Cut off decal from sheet.
- 2.Dip the decal in tepid water 40° C for about 10 sec.and place on a clean
- 3. Hold the backing sheet edge and slide decal onto the model.
- 4. Move decal into position by wetting decal with finger.
- 5. Press decal gently down with a soft cloth until excess water and air bubbles are gone


#### 水贴纸的使用:


- 1. 从水贴纸上剪下印花。
- 2. 将印花放入温水中浸10秒, 然后放在干净布上。
- 3. 拿着印花纸板将印花移到模型上。
- 4. 手指蘸水将印花移到适当的位置。
- 5. 用软布轻压印花直至不干, 汽泡消失。





























## RUSSIAN T-72B3 MAIN BATTLE TANK 2017 MOSCOW VICTORY DAY PARADE

## modelcollect

