

SCALE 1/35 AF35015



M-18 HELLCATtank destroyer

M18地獄貓驅逐戰車



M18 Hellcat

Bitch" is the nick name given by the U.S. soldiers to the M18 Hellcat, the tank that had great impact on the development of tank design of the U.S.

M18 was designed by Buick Motor car Division of General Motors Corporation in 1943. A total of 2,507 tanks were built up until 1944. Other variations include the M39 armor tow vehicle. The most notable point of the M18 was its first use of torsion bar suspension among U.S. tanks, a total departure from any design used, setting a new milestone for the U.S. tank development. The M18 is equipped with a 76cm M1A1 high velocity anti-tank gun packing it with the ability for rapid firing and excellent armor penetration making the M18 among the best in terms of fire power among the Allied Forces. Its extraordinary high mobility was also a new break through to the stereotype that tanks were "Slow and Clumsy", The excellent performance of the M18 gave great inspirations for engineers for future development of battle tanks. M18 was one of the very few Allied tanks which can equal the often superior German tanks during the war. In World War II, M18 was deployed in the Tank Destroyer battalion and was used side by side with the much heavier M10 and M36. Among them, the tank destroyer battalion of general Patton was the most famous. It had a great deal of contribution to European battle field.

M18 data:Length/Width/ Height: 6.65/2.87/2.56M Armament: 76cmM1A1C/ M1A2 high velocity anti-tank gun
Weapon elevation: +20 to -10 degrees Machine guns: 12.7mm heavy barrel machine gun w/800 rounds
Ammo Storage: 45 rounds Engine: Continental R-975-C4 Star 9 cylinder air cool engine Crew: 5
Horse power: 400HP Fuel storage: 170gallons/680 liters Speed: 72km/hr Climbing rate: 60%

Weight: 18 tons with full stores

M18 地獄貓驅逐戰車

"潑婦"是美軍士兵對 M18 Hellcat 的俗稱,而它深深的影響了美軍戰車發展史。

M18 爲美國別克汽車公司於1943 年設計製造的,至1944 年爲止共生產了2,507 輛,另有衍生型M39 裝甲運輸車。M18 最大的特色是美軍履帶車中第一個採用扭力桿懸吊系統的車輛,在拋棄了以往舊有設計概念,使得美軍戰車發展史邁向另一個新的里程埤。本車的優異性除採用新懸吊系統外,在火炮方面是使用76 公厘 M1A1 型高射速反戰車砲,其具備了快速射擊及強力穿甲功能,也是同盟軍中火力優異的火炮系統之一,而更難得的是擁有高速行駛的能力,突破累入對戰車"慢與遲頓"的概念,使得許多工程師在設計未來履車助益不少,而且 M18 也是少數能與德軍優秀戰車匹敵的同盟軍戰車。

M18 在第二次世界大戰時,被美軍的裝甲師特別編列在專屬的驅逐戰車營中,同時它與 M10 及 M36 型驅逐戰車一齊被部隊指揮官當成反戰車的王牌來運用,並與盟軍協同作戰,其中又以巴頓將軍的驅逐戰車營最富盛名。中華民國陸軍在民國 41 年起開始獲得美軍軍援此車,總共接獲了 214 輛,同時被編列在裝甲騎兵團及裝甲騎兵營中,隨後海軍陸戰隊也接收了部份陸軍裝備其中也包含了 M18,直到民國 74 年才完全除役。

M-18 性能諸元: 車長/寬/高: 6.65/2.87/2.56 公尺

主武裝:76 公里 MIAIC 或 MIA2 型高射速反戰車炮、

火炮抑角/俯角:+20 度至-10 度

攜彈量:45 枚

副武裝:12.7公里重管機槍

攜彈量 800 發

引擎:大陸 R-975-C4 星型空冷九汽缸引擎,400 馬力

攜油量:170 加侖(680 公升)

乘員:5員

車速:每小時72公里

戰鬥重量:18 噸

M18 ヘルキャット

1943年、ジェネラル・モータースのビェイック部門で製造されたM18はアメリカの 戦車の中で初めてトーション・バーサスペンションを使用、成功させたことによって、そ の後のアメリカ戦車のデザインに大きな影響を与えたことで知られています。1944年 までに全部で2507両が製造され、バリエーションとしてM39装甲牽引車等があります。

M18は射撃速度の速い76mmM1A1戦車砲を備え、高速機動力の高さとあいまって連合軍のそれまでの のろくてうるさい といわれた戦車に対する見方を変えたとさえ言われています。このため、前線の兵士達から畏敬の念を込めてビッチ(推犬、もしくはあばずれ女の意)とあだ名され、俊秀なドイツ軍と互角に戦ったといわれています。 M18は第二次大戦では対戦車大隊に所属し、はるかに大型のM10、M36と肩を並べ

M18は第二次大戦では対戦車大隊に所属し、はるかに大型のM10、M36と肩を並べて戦いましたが、戦闘力において決してひけを取らなかったといわれ、ヨーロッパでの勝利に大きく貢献し、パットンが率いた対戦車大隊が特に有名です。



7-9-		
业体引法	6.65/2.87/2. 56	51.
电影		5
火装	76mmM1A1C/M1A2封轄車	8
执行保收	4 5	5
主起音解角	+20~-108	ŧ
西 翁	1.7mm機関数/8005	Ě
エンジン	コンチキンテルR-975-C4 9気筒空冷星表	5
斯力	400H	2
世科タンク容量	680171	-
共高速度	72+11/8	4
有限主义	1813	1
亚取能力	60%(30度)	

Illustration: 圖示說明



AGGLUTINATE 用膠點合



NO AGGLUTINATE



MAKE 2 SETS



CUT OFF



OPTIONAL



APPLY DECAL



PAINTING



NOTICE

Method for applying decals:




- 1. Clean model surface with wet cloth.
- Cut out of decal sheet and dip them in water for 15 seconds .
- 3. Place it on proper position on model .
- Slide off base paper leaving decals on model with wet finger tip.
- Move decals to exact position, push out excess water under decal with soft cotton cloth.
- 6. When decals get dry then complete .


水貼紙製作說明:


- 1. 將模型表面擦乾淨
- 2. 將貼紙剪下泡入清水中約 15 秒
- 3. 將泡濕之貼紙取出置於欲貼處旁
- 4. 用指尖輕推贴紙表面使其滑出底紙
- 5. 將貼紙調整至適當位置並輕擦拭水份
- 6. 待其自然乾燥後即完成


Color list: 塗料表


	Brand	Gunze			Humbrol	Revell
Color		Hobby Color	Mr.Color	Mr.Color Spray	Humbroi	Keven
Red	紅	H-3	C-3	J-3	19	31
Steel	黑鐵	H-18	C-28	J-28	53	91
Tire Black	輪胎黑	H-77				
Brass	黃銅		C-219		54	92
Flat Black	消光黑	H-12	C-33	J-33	33	302
Flat White	消光黑	H-11	C-62	J-62	34	301
Olive Green	橄欖綠		C-120		172	361
Bright blue	寶藍	H-15	C-65	J-65	14	150
Olive Drab(2)	橄欖綠(2)	H-78	C-22		66	46
Silver	銀	H-8	C-8	J-8	11	90
Tan	皮革	H-27	C-44	J-44	118	88
Red Brown	紅褐	H-47	C-41		160	383

























10





Interior painting: 内部塗裝 [Flat White] or [Olive Drab]








Reference position of assembly. 組裝參考.

































Reference of assembly. 組裝參考.

































Body color: [Olive Drab]











R.O.C. Army the 249 MAC. division. 中華民國陸軍249節




Body color: [Olive Drab] [Flat Black]

[Red Brown]










Parts list:


零件表





×2






MMM

Spring. 彈簧

Gun tube. 砲管







Decal. 貼紙


Tracks 履帶

×2



Chassis 底盤





If for some reason, you are not fully satisfied or have questions concerning our product; Please use the form provide, and send it to our nearest representative or mail it directly to our office.

We will deal with that A.S.A.P.



AG\ CLU	B	Parts	AF350 s Replace		-orm
	Α	parts		Spring	D.
	В	parts		Gun tu	ube
	С	parts		Chass	sis
	D	parts		Decal	
	Tr	acks			
Reas	sor	for rep	lacement:		Missing Broken
Sign	atu	ıre:			



限國内使用 (For Taiwanese use only!)

使用方法:

請將申請表與該部品相同金額之郵政匯票一並寄 至總代理:戰鷹企業有限公司 客服部收,本公 司將盡速為您處理!

AGV	AF35015
CLUB	零件補充申請表
□ A 部品零件	# NT\$ 220
□ B 部品零件	# NT\$ 200
□ C部品零件	牛 NT\$ 150
□ D部品零件	牛 NT\$ 120
□ 彈簧	NT\$ 20
□ 履帶	NT\$ 70
□ 砲管	NT\$ 50
□ 底盤	NT\$ 120
□ 貼紙	NT\$ 50
+ #	郵資 NT\$40
(請塡)總計	H NT\$
零件補充原因	凶: (請於 □ 打 ✓)
原包裝即 [□遺失或 □ 毀損.
製作途中	□遺失或 □ 毀損
□補充多餘	零件.
其它原因	