

# Hawaiian Air Depot

## Designs for Scale Modelers



Recommended Cut Settings -- Tamiya Masking Sheet

Settings will always vary a bit from machine to machine, but try these as a starting point

**Silhouette:** Depth 1, Passes 2, Force 3, Speed 8

**Cricut:** Cut pressure 8, Multi-cut off, Blade type Fine-point blade


1. Tail wheel hubs and tires (two styles)
2. Canopy and windscreen mask (outside)
3. Canopy and windscreen mask (inside)
4. Gunsight
5. Propeller tips



# 24001 Lexington's Fiery Hellcat

## Placement Guide for the 1/24 Airfix F6F-5 Hellcat

### 24001-1 Mask design page 1






# Hawaiian Air Depot

Designs for Scale Modelers

## 24001 Lexington's Fiery Hellcat

Placement Guide for the 1/24 Airfix F6F-5 Hellcat  
24001-2 Mask design page 2

1. Part R3 instrument panel (inscribed dials)
2. Fuselage ID lights (w/spare lenses & fairings)
3. Port wing approach light (w/spare)
4. Wingtip position lights
5. Part R4 instrument panel (clear dials)
6. Various cockpit sidewall panels
7. Upper wing formation lights (w/spare set)
8. Front armored windscreen (w/spare)
9. Rear armored windscreen




### Scale Calibration Tool

Files should import into the cutter software at the proper scale, but you never know. If they don't, draw a 1 cm. or 1 inch line in the cutter software, then scale the design to match.

1 cm      1 inch

©2023 Hawaiian Air Depot  
www.hawaiianairdepot.com  
hawaiianairdepot@gmail.com






# 24001 Lexington's Fiery Hellcat

Placement Guide for the 1/24 Airfix F6F-5 Hellcat  
24001-3 Mask design page 3

## Hawaiian Air Depot Designs for Scale Modelers


1. Cowling numbers (white first, then blue)
2. Tail markings (white first, then blue)
3. Tail numbers (white first, then blue)
4. 50" fuselage insignia (white first, then blue)
5. Cowling numbers (white over blue) 7-12




Affix template (from pg. 6) to clear sheet and cut armored glass. Mask with mask 8 and 9 from 24001-2 to paint sides

### White Over Blue

1. Paint Sea Blue camouflage color
2. Place masks, using edges as placement guides
3. Weed markings from masks, as pictured above
4. Paint Insignia White





## Hawaiian Air Depot Designs for Scale Modelers

1. Gear doors (kit parts)
2. Gear doors (HAD styrene parts)
3. Flap walkways (black first, then blue)
4. Flap walkways (black over blue)
5. Wing walkways
6. Main wheels (kit parts)
7. Main wheels (Barracuda)




### White First, Then Blue


1. Tape or paste paper masks (24001-5, 24001-6) to limit overspray on the larger areas
2. Paint the area of the white markings
3. Place masks, using edges as placement guides
4. Weed mask guides, leaving only the mask covering the white marking
5. Paint Sea Blue

## 24001 Lexington's Fiery Hellcat

Placement Guide for the 1/24 Airfix F6F-5 Hellcat

24001-4 Mask design page 4





# Hawaiian Air Depot

## Designs for Scale Modelers

Note: Pages 5 and 6 are included as both vector files and PDFs. Use the vector files to machine-cut the masks, or print the PDFs on an ordinary printer to hand-cut them.

# 24001 Lexington's Fiery Hellcat

Placement Guide for the 1/24 Airfix F6F-5 Hellcat  
24001-5 Paper Mask and Template design pages 5 & 6

