

1/48 F-16 イスラエル(英文)

ASSEMBLY INSTRUCTION

OTAKI BRAND

1/48 SCALE ISRAEL AIR FORCE FIGHTER F-16 "FALCON"

Kit No.OT2-39

- Notes: 1. Read all instructions fully before assembling.
 2. Detach parts from runners with knife.
 3. Remove excess plastic on part neatly.
 4. Detach part when it is required. Do not detach all parts at once.
 5. A,B,C,....means the number of decal.
 6. Clean the surface on model before painting and applying decals.

PARTS LIST

- A-parts: 1. Fuselage(right) 2. Fuselage(left)
 B-parts: 1. Vertical tail 2. Left wing(Lower) 3. Right wing(upper) 4. Left wing(upper)
 5. Right wing(upper) 6. Tailplane(left) 7. Tailplane(right)
 C-parts: 1. Exhaust A 2. Exhaust A 3. Exhaust B 4. Foreleg bay 5. Foreleg bay 6. Air intake
 7. Air intake 8. For foreleg bay 9. Nosewheel 10. Stick 11. Foreleg arm(A)
 12. Forelegstay 13. Foreleg arm(B) 14. Pilot tube 15. Rear wheel(A) 16. Rear wheel(B)
 17. Nosewheel cover(A) 18. Nosewheel cover(B) 19. Rear wheel cover 20. Rear wheel cover
 21. Main leg arm(B) 22. Main leg stay(left) 23. Main leg stay(right) 24. Main leg arm(A)
 25. Arrestor hook 26. Balkan gun 27. Droptank rack 28. Main leg arm(C) 29. Droptank(upper)
 30. Droptank(lower) 31. Bomb rack(inside) 32. Bomb rack(outside) 33. Ventol fin
 34. Wingtip missile mount(right) 35. Wingtip missile mount(left) 36. Nosewheel cover arm
 D-parts: 1. Trigger 2. Cushion 3. Instrument board 4. Floor board 5. Seat 6. Instrument panel
 E-parts: 1. Rocket bomb mount(A) 2. Rocket bomb mount(B) 3. Missile wing 4. Missile 5. Bomb(A)
 6. Bomb(B)
 F-parts: 1. Canopy(front) 2. Canopy(rear) 3. Headup display

- Step 1. Paint D-5 in light grey. Paint D-4 (except side instrument panel) in light grey. Paint side instrument panel in black. Cement D-2 and D-1 to D-5. Cement D-5 on D-4. Cement C-10 onto D-4.
 Step 2. Paint the inside of cockpit in light grey. Cement D-4 to the place in A-1 and cement A-1 to them.
 Step 3. Paint C-3 in white. Cement C-3 to C-5 and cement C-4 to them.
 Step 4. Cement C-6 on C-7 and cement them to C-4,5 assembly
 Step 5. Cement foreleg bay to fuselage. Cement C-33 to the place on fuselage.
 Step 6. Cement C-1 and C-2 together and cement them to the fuselage, then cement C-3 to C-1.2 assembly. Apply decals on D-6 and cement D-6 to D-3, then cement D-3 to the place.
 Step 7. Cement B-5 on B-3. Cement B-4 on B-2.
 Step 8. Cement F-3 to the place and cement F-1,F-2,C-26,wings,B-6,B-7,B-1 to the place on fuselage.
 Step 9. Fit C-9 and C-13 to C-12 and cement C-12 to the place. Cement C-11 to C-12 and fuselage. Cement C-17 and C-18 to the place and cement C-36 to C-17 and C-12 as shown. Cement C-16 to C-15 and fit them to C-22. Cement C-28 and C-24 to C-22 and cement them to the place. Cement C-21 to C-22 and the place on bay. Cement C-15 to C-16 and fit them to C-23. Cement C-24 and C-28 to C-23, then cement them to the place. Cement C-21 to C-23 and the place on bay. Cement C-20, C-19 and C-25 to the place. Paint stay in white, C-21 in white.
 Three painting: Rubber portion in mat black. Metallic portion in silver grey
 Paint C-29 in white. Cement C-29 on C-30(droptank). Paint E-5 and E-6 in white.
 Cement E-5 to E-6 (assemble 24 bombs).
 Step 11. Cement 4 bombs directly to E-2. Cement bomb to E-2(make 2 sets) and cement them to E-1. Cement C-31(and C-32) to E-1(E-31 is for inside, E-32 is for outside). Make 4 sets of bomb assembly.
 Step 12. Cement C-27 to droptank and cement C-27 to theplace. Cement E-3 to E-4 (make one pair). Cement one to C-34 and cement to wing. Cement another one to C-35 and cement to wing. (be careful to angle on convex on C-34 and C-35. Cement C-14 to nose and cement assembled bombs to the place.

Painting Hints:

- Vertical tail; upper area in mixed color(deep green and flat white).
 Center area in mixed color(red brown, sandy brown and flat white).
 Exhaust portion in dark grey. Nose portion of fuselage in dark grey
 Fuselage and wings; dark-colored areas in mixed color(deep green and flat white).
 Dotted areas in mixed color(red brown, sandy brown and flat white).
 Light-colored area in mixed color(light khaki and buff).
 Lower area in light blue.

Printed and distributed by Miyano & Co., Ltd. P.O.Box 107 Asakusa Tokyo Japan.

イスラエル F-16 No.1

※ 留意事項
 1. 組立の際は、必ずこの説明書をよく読んでください。
 2. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 3. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 4. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 5. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 6. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 7. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 8. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 9. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 10. 接着剤は、必ずこの説明書に添付されているものを使用してください。

※ 留意事項
 1. 組立の際は、必ずこの説明書をよく読んでください。
 2. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 3. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 4. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 5. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 6. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 7. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 8. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 9. 接着剤は、必ずこの説明書に添付されているものを使用してください。
 10. 接着剤は、必ずこの説明書に添付されているものを使用してください。


立組説明図

イスラエル空軍戦闘機 F-16 "FALCON" ISRAEL AIR FORCE FIGHTER FALCON

1/48スケール

OTAKI PLASTIC MODEL

東京都品川区千代田3-8
 株式会社オタキ
 〒120 TEL. 03-388-6646 印



マーキング及び塗装の説明
 A,B,C.....はデカールのナンバ―

塗装及びマークをはる前に中性洗剤などでよくふきとってください。

ライトブルー
 + フラットホワイト

1970年代米空軍は軽戦闘機の開発を始めた。ノースロップ社のYF-17との競争に勝って発表されたのがゼネラルダイナミックス社のF-16である。

従来の重戦闘機からみると大空小型、操縦性においては重軍の二倍、戦闘半径は三倍という極めて有能な戦闘機である。ハバークキャノピーを使用し、視界極めて良好。重量制限には新しい材料を利用して軽量化し、強度は従来の戦闘機を上回っている。


アメリカは1975年までのF-4ファントムに代わる主力戦闘機にF-15の決定をみた。無難な機体のため数種の不足をわざとあきらめず、F-16は極めて大きな存在となっている。すでに米空軍、NATO諸国、その他ヨーロッパ、中近東の諸国に採用がまわっている。

全機...9.45m (翼端ミサイルを含み10.01m)
全高...4.65m
全重...5.01t
自重...6.780kg (最大14,969kg)
発動機...P&W F-100ターボファンエンジン
最大速度...M=2.0
武装...20mmM61バルカン砲×1
機体...ミサイル等最大6,800kg
乗員...1名


パーツ番号 1/48

- ① 機銃
- ② 機銃
- ③ 機銃
- ④ 機銃
- ⑤ 機銃
- ⑥ 機銃
- ⑦ 機銃
- ⑧ 機銃
- ⑨ 機銃
- ⑩ 機銃
- ⑪ 機銃
- ⑫ 機銃
- ⑬ 機銃
- ⑭ 機銃
- ⑮ 機銃
- ⑯ 機銃
- ⑰ 機銃
- ⑱ 機銃
- ⑲ コルセア
- ⑳ センターポルト
- ㉑ ヘルメット
- ㉒ F-16アメリカ
- ㉓ F-16イラストラル
- ㉔ エレクトロニクス
- ㉕ フォットファイア
- ㉖ ミサイル
- ㉗ ヴァルケット


C 部品




D 部品



E 部品






F 部品




- D 部品
- ① トロカール
 - ② フラッシュ
 - ③ 計器盤
 - ④ 床板
 - ⑤ ノーズ
 - ⑥ 計器パネル
- E 部品
- ① ロケット弾取付架(A)
 - ② フラッシュ
 - ③ ミサイル翼
 - ④ ミサイル
 - ⑤ 標頭(A)
 - ⑥ ノーズ
- F 部品
- ① キャンセル
 - ② キャンセル
 - ③ ヘッドアップディスプレイ

- D 部品
- ① 前機銃
 - ② 主脚アーム
 - ③ 主脚(上)
 - ④ 主脚(下)
 - ⑤ 機銃架(内)
 - ⑥ 機銃架(外)
 - ⑦ 前座席
 - ⑧ 翼端ミサイル取付架(右)
 - ⑨ 翼端ミサイル取付架(左)
 - ⑩ 前輪カバー
 - ⑪ 前輪カバー
- E 部品
- ① ヒート管
 - ② 後輪(A)
 - ③ 後輪(B)
 - ④ 前脚骨幹部
 - ⑤ エアインテーク
 - ⑥ 前脚骨幹部
 - ⑦ 前脚骨幹部
 - ⑧ 前脚骨幹部
 - ⑨ 前脚骨幹部
 - ⑩ 前脚骨幹部
 - ⑪ 前脚骨幹部
 - ⑫ 前脚骨幹部
 - ⑬ 前脚骨幹部


- A 部品
- ① エキゾーストA
 - ② エキゾーストB
 - ③ 前脚骨幹部
 - ④ 前脚骨幹部
 - ⑤ エアインテーク
 - ⑥ 前脚骨幹部
 - ⑦ 前脚骨幹部
 - ⑧ 前脚骨幹部
 - ⑨ 前脚骨幹部
 - ⑩ 前脚骨幹部
 - ⑪ 前脚骨幹部
 - ⑫ 前脚骨幹部
 - ⑬ 前脚骨幹部
- B 部品
- ① 垂直尾翼
 - ② 主翼下
 - ③ 主翼上
 - ④ 前脚骨幹部
 - ⑤ 前脚骨幹部
 - ⑥ 前脚骨幹部
 - ⑦ 前脚骨幹部
 - ⑧ 前脚骨幹部
 - ⑨ 前脚骨幹部
 - ⑩ 前脚骨幹部
 - ⑪ 前脚骨幹部
 - ⑫ 前脚骨幹部
 - ⑬ 前脚骨幹部



1 各部品を接着しましょう。 2 本体に座席を取付けます。 3 図をよく見て組みましょう。 4 接着しましょう。




5 ガイドに合わせて接着して下さい。 6 各部品を接着しましょう。 7 主翼を組みます。



8 各部品を接着しましょう。

9 各部品を接着しましょう。
脚柱はシロ、C-20はシルバ-



10 爆弾は24個組みます。

11 C-30は内側、C-32は外側です。次図で
取付けることに注意して下さい。

12 C-30③の角度に注意。