

# PLA J-11B 中国空軍 J-11B 戦闘機 中国歼11B战斗机

### PLEASE READ BEFORE OPERATION!

- \* Tools recommended as below: (Not included) Adhesives; Paints; Side Cutters; Sharp Edged Pliers; Modeling Knife; Modeling File; Nippers; Drill; Scissors; Sand Paper; Soft Cloth; Cyanoacrylate Glue.
- \* Make sure to read this instruction listed below before assembling.
- \* The kit contains the small parts, they can be dangerous if swallowed by mistake, so keep them away from reach of children.
- \* Cut the all parts off carefully and remove the waste parts into the garbage can.
- \* More caution and care should be needed for cutting and handling the photo etched parts.
- \* Make attention that some parts should be attached the decal when assembled.
- \* During assembling, please tear up and throw away the plastic bags, or may cause the dangerous if wearing over head by children's mistake.
- \* When using the adhesives and paints, please do not use them in the closed room or near the fire, also must be very careful to protect your eyes,face and clothes.
- \* Adult supervised when assembled by children under 14 years old.

## 装配前请仔细阅读:

- \* 推荐使用的模型工具(请自备): 专用模型胶水,专用模型油漆,水口剪刀,长咀钳,刀片, 锉刀,镊子钳,钻,剪刀,软布,砂纸,瞬间快干胶等。
- \*用水口剪刀或刀片小心切下所有塑胶零件和蚀刻片零件, 不要遗失小零件。
- \* 切取蚀刻片时应特别注意防止利边划伤手指。
- \*用模型锉刀小心锉平所有零件表面的注射浇口。
- \* 用适量的强力快干胶水粘合蚀刻片零件和金属轴,切忌过 量, 否则可能导致可动零件被粘住。
- \*注意某些零件表面需在装配时同步贴上水贴纸。
- \* 制作时应远离幼儿并将包装袋及时收妥, 谨防小孩玩耍 而引起意外。



using ca super glue 使用强力胶



weight



make hole 钻孔



cut / remove 切除



option 选择



no cement 不涂胶水








repair

## The method to apply the decals


- 1.Cut off the decal from the decal paper and put it into the warm water 40 °C for 10
- 2. Take the decal from the water and put it on a piece of clean cloth.
- 3.Remove the decal slowly from the paper to the targeted location by a wet finger.4.Use a piece of dry and soft cloth to press it gently on the decal until it getting dry and no bubble existing.


### 水贴纸的使用方法:


- -.把相关的印花从水贴纸上剪下,放入40℃左右的 温水中浸10秒。
- 二. 然后将印花放在干净的布上。
- 三.拿上印花纸板,手指蘸水将印花移到适当的位置。
- 四.用软干布轻压印花直至水干,气泡消失。




## 部品图 **Parts**





























《蚀刻片》 Photo etcheH part(PE)





《水贴纸》A Decal











《主轮胎》X2 Main tyre



《水贴纸》B Decal



**Unused parts** 

不用的部件: Y5 Y11 Y21 P12 P13 P14 Q6 GP1 GP3 GP5 GP8 GP9 GP11 GP12

