

KIT 4025

SCALE
CRAFT
MODELS
Of California








AIRCRAFT SUPPORT GROUP



MADE IN ITALY

1/48 th Scale - Echelle 1/48 ème



1 PILOT & GROUND-CREW FIGURES




READ BEFORE BEGINNING


SPECIAL NOTE: Though this set is molded in Olive Green, all mechanical items included can be colored either Yellow OR Olive Green — depending on time period. Specifically: If your chosen setting is to be of pre-1977 vintage, all

equipment should be YELLOW. From 1977, all USAF/AGE began a changeover to "Tactical" O.D. coloring, by *Commands* — TAC first in line. (As of late 1979, O.D. coloring has been noted — amongst the "Yellow Gear" at MAC Bases.)


BOMB LOADER ASSEMBLY
(LIFT-ARMS MECHANISM)






For best results, Paint Interior sections prior to assembly. Also, paint exterior surfaces prior to mounting Wheels.






4 BOMB LOADER ASSEMBLY (BODY CONSTRUCTION/LIFT MECHANISM MOUNTING)








FORD CA261F TRACTOR

USAF Classification: "Non-Aircraft Towing Unit."
(Used for towing such as Bomb Trailers, LOX Trailers, Ground-Power Units, etc.)
Length: 135 in. (11 ft. 3 in.) • Width: 83 in. (6 ft. 11 in.) • Height: 82 in. (6 ft. 10 in.) • Weight: 4,971 lb. • Engine: 34 Draw-Bar hp.



5




Do Not Cement 23-24A to Lift Arms. Push Connector(s) onto Lift-Arm Pins — as shown. Use Heat to flatten protruding tips of Pivot-Pins (Both Sides)

MJ-1 BOMB LOADER

3,000 lb. Limit Hydraulic Lifting Unit
Rear-Wheel Drive & Steering • 25 hp. Engine (To Left of Driver) • 17.5 ft. Turning Radius • Lift Limits (Top of Weapons Table): 78 in. (6 ft. 6 in.) Max./6.25 in. Min. • Weapons Table serves as an adaptor plate — to mount various Weapons Cradles.

6


TOW BAR ASSEMBLY



7

TRAILER ASSEMBLY

Push Turn-Table (17A) onto Pivot-Pin (Do Not Cement). Use heat to flatten protruding tip of Pivot-Pin.



8 BOARDING LADDER ASSEMBLY

Right 15A Side-Panel

16A Left Side-Panel

10A Rear-"Bumper" Panel

37A Ladder Section

Left Hand-Rail 13A

14A Right Hand-Rail

SEE STEP 2 (TRACTOR) FOR OVERALL COLOR CHOICE

IMPORTED FOR THE U.S.A. BY

SCALE CRAFT

MODELS Of California®

8735 Shirley Avenue • Northridge, California 91324 • (213) 886-1967

ARGENTO
SILVER
ARGENT
SILBER
PLATA

ROSSO
RED
ROUGE
ROT
ROJO

DECAL APPLICATION — TRACTOR/BOMB LOADER

ARGENTO
SILVER
ARGENT
SILBER
PLATA

NOTE: White "Patches" grouped around Number 1 (on Decal Sheet) represent Reflective Tape Strips. Check photos throughout this instruction sheet — and diagrams above for correct positions.

COLORS: Pre-1977 OVERALL YELLOW
From 1977-1979 OLIVE DRAB OVERALL